

Hewitt, Julie

From: Morris, Stephanie
Sent: Wednesday, July 23, 2014 12:06 PM
To: Hewitt, Julie
Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

thks

Stephanie Morris

*Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730*

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Hewitt, Julie
Sent: Wednesday, July 23, 2014 12:04 PM
To: Morris, Stephanie
Subject: Re: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Yes this is fine. I am in the office today, but was in mtgs nonstop since I got here this morning. If you have more questions, I should be able to respond.

From: Morris, Stephanie
Sent: Wednesday, July 23, 2014 8:44:43 AM
To: Hewitt, Julie
Subject: FW: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

I hope you are in the office...are you ok with this?

Stephanie Morris

*Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730*

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Wednesday, July 23, 2014 8:41 AM

To: Morris, Stephanie

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Stephanie,

I missed a 5 years (pg. 521) insert date. I've calculated the date as Thursday, August 15, 2019.

Please confirm that's okay, and I'll schedule the document this morning.

Thanks, again,

Stacey

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>]

Sent: Wednesday, July 23, 2014 7:59 AM

To: EPA-FederalRegisterLiaison; Mulligan, Stacey A.

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Stacey, I forgot, was the letter requesting the publication date ok?

Stephanie Morris

Federal Register Liaison, Senior Editor

Regulatory Management Division,

US Environmental Protection Agency, #3526D

Washington, DC 20460; Mail code 1803A

202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Morris, Stephanie **On Behalf Of** EPA-FederalRegisterLiaison

Sent: Wednesday, July 23, 2014 7:53 AM

To: 'Mulligan, Stacey A.'; EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Good morning Stacey, this is fine.

Thank you

Stephanie Morris

Federal Register Liaison, Senior Editor

Regulatory Management Division,

US Environmental Protection Agency, #3526D

Washington, DC 20460; Mail code 1803A

202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Tuesday, July 22, 2014 2:54 PM

To: EPA-FederalRegisterLiaison

Cc: Morris, Stephanie

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Stephanie,

Final question, there are 3 years and 9 months insert dates on pages 243, 247, 248, 250. Per calculations, that falls on Tuesday, May 15, 2018.

I want to confirm that date with you before scheduling the document.

Regards,

Stacey

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>] **On Behalf Of** EPA-FederalRegisterLiaison

Sent: Tuesday, July 22, 2014 1:04 PM

To: EPA-FederalRegisterLiaison; Mulligan, Stacey A.

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Stacey, the final edits look good...thank you

Stephanie Morris

Federal Register Liaison, Senior Editor

Regulatory Management Division,

US Environmental Protection Agency, #3526D

Washington, DC 20460; Mail code 1803A

202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Morris, Stephanie **On Behalf Of** EPA-FederalRegisterLiaison

Sent: Monday, July 21, 2014 4:23 PM

To: Mulligan, Stacey A.; EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Thanks Stacey, I am leaving for the evening...I will have a response for you in the morning.

Stephanie Morris

Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Monday, July 21, 2014 3:45 PM

To: EPA-FederalRegisterLiaison

Cc: Morris, Stephanie

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello, Stephanie,

Attached is a copy of the document incorporating the additional edits for review and approval.

Please review the document carefully.

If you have questions or concerns, please contact me.

Regards,

Stacey

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>] **On Behalf Of** EPA-FederalRegisterLiaison

Sent: Monday, July 21, 2014 3:09 PM

To: Mulligan, Stacey A.; EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hi Stacey, here's the document.

The requesting office is also requesting the document to publish on or after August 15, 2015; please see the attached request letter.

Thank you for patience...we are almost there.

Stephanie Morris

Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Monday, July 21, 2014 11:01 AM

To: EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Morning, Stephanie,

Thanks for the update.

Regards,

Stacey

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>] **On Behalf Of** EPA-FederalRegisterLiaison

Sent: Monday, July 21, 2014 10:51 AM

To: Mulligan, Stacey A.; EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hi Stacey,

FYI, I received the file back from the office, but there were some comments and auto-formatting added that I had to remove and a question that I have to them. Hopefully, I will get it back the document back soon and will send to you ASAP.

thanks

Stephanie Morris

Federal Register Liaison, Senior Editor

Regulatory Management Division,

US Environmental Protection Agency, #3526D

Washington, DC 20460; Mail code 1803A

202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Thursday, July 17, 2014 7:49 AM

To: EPA-FederalRegisterLiaison

Cc: Morris, Stephanie

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

I just wanted to touch base with EPA regarding this document.

Any news on when I'll get a response to my edits?

Regards,

Stacey Mulligan

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>] **On Behalf Of** EPA-FederalRegisterLiaison
Sent: Friday, July 11, 2014 3:26 PM
To: Mulligan, Stacey A.
Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hi Stacey,

Just wanted you to know that I am expecting a response, however, I am not in the office on Monday, but asked others to look out for it.

Thanks for your patience.

Stephanie Morris
Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]
Sent: Wednesday, July 09, 2014 8:49 AM
To: EPA-FederalRegisterLiaison
Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

I just wanted to touch base with EPA regarding this document.

Any news on when I'll get a response to my edits?

Regards,

Stacey Mulligan

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>] **On Behalf Of** EPA-FederalRegisterLiaison
Sent: Monday, July 07, 2014 7:59 AM
To: Mulligan, Stacey A.
Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Good morning Stacey,

I am not sure what caused a delay in our response to your edits, but I am told that I will have a response this week.

Thank you for your patience and my apology for the delay.

Stephanie Morris

*Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730*

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Monday, June 30, 2014 7:59 AM

To: Morris, Stephanie; EPA-FederalRegisterLiaison

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

Do you have a status update on the document above?

Regards,

Stacey Mulligan

From: Morris, Stephanie [<mailto:Morris.Stephanie@epa.gov>]

Sent: Monday, June 23, 2014 9:04 AM

To: Mulligan, Stacey A.; EPA-FederalRegisterLiaison

Cc: Brooks, Edward B. (Brad); Giles, Kent H.; Scott, Moja

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Thank you Stacey,

I am expecting to hear from the program office today.

Stephanie Morris

*Federal Register Liaison, Senior Editor
Regulatory Management Division,
US Environmental Protection Agency, #3526D
Washington, DC 20460; Mail code 1803A
202.564.0730*

****Many FR questions can be answered via our [intranet website](#)! ****

Have an IBR question? You can now contact us at EPA-IBR@epa.gov

From: Mulligan, Stacey A. [<mailto:smulligan@gpo.gov>]

Sent: Monday, June 23, 2014 9:02 AM

To: EPA-FederalRegisterLiaison

Cc: Morris, Stephanie; Brooks, Edward B. (Brad); Giles, Kent H.; Scott, Moja

Subject: RE: National Pollutant Discharge Elimination System-Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

I will be out of the office this week, so please direct your comments to Brad Brooks, Kent Giles, and Moja Scott (all are cc'd on this email).

Regards,

Stacey Mulligan

From: Mulligan, Stacey A.

Sent: Wednesday, June 18, 2014 3:18 PM

To: 'smtp:EPA-FederalRegisterLiaison@epa.gov' (EPA-FederalRegisterLiaison@epa.gov)'

Cc: Morris, Stephanie (Morris.Stephanie@epa.gov)

Subject: RE: National Pollutant Discharge Elimination System—Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

I'm check on the status of the markup I sent on June 9 for the document above.

Regards,

Stacey Mulligan

From: Mulligan, Stacey A.

Sent: Monday, June 09, 2014 10:25 AM

To: smtp:EPA-FederalRegisterLiaison@epa.gov (EPA-FederalRegisterLiaison@epa.gov)

Subject: National Pollutant Discharge Elimination System—Cooling Water Intake Structures at Existing Facilities and Phase I Facilities; Requirements -- EDITS FOR REVIEW

Hello,

Attached is a copy of the above document with edits for review and approval.

If you have questions or all, please contact me.

Regards,

Stacey Mulligan

Stacey A. Mulligan

Writer-Editor

Scheduling Unit

Office of the Federal Register

National Archives and Records Administration

800 N. Capitol St. NW
Suite 700
Office (General): 202.741.6060
Office (Direct): 202.741.6029
BlackBerry: 202.200.1710